NCÅ-Verodan ⁴/s

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

SAFETY DATA SHEET

Acid Foam 1

SECTION 1: Identification	of the substance/mixture and of the company/undertaking
Relevant identified uses PC35 Washing and o Restricted to profess Product code (A.I.S.E.) AISE-P806 / Foam cla	9QY es of the substance or mixture and uses advised against s of the substance or mixture cleaning products sional users. eaner. Semi-Automatic with venting process. eaner. Semi-Automatic without venting process.
Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)
Environmental release category	Description
ERC 8a	Wide dispersive indoor use of processing aids in open systems
Uses advised against None known. 1.3. Details of the supplier Company and address NCÅ-Verodan A/S Industriparken 5 DK-9560 Hadsund Denmark Tel.: +45 7027 1630 www.ncaa.dk E-mail mail@ncaa.dk Revision 23/04/2024 SDS Version 1.0 1.4. Emergency telephone Contact the poison hot See section 4 "First aid	e number line: +45 82 12 12 12 (24 hour service)
SECTION 2: Hazards iden	tification
2.1. Classification of the su Skin Corr. 1B; H314, Ca	Regulation (EC) No. 1272/2008 (CLP). ubstance or mixture uses severe skin burns and eye damage. ses serious eye damage.

Hazard pictogram(s)



Signal word Danger Hazard statement(s) Causes severe skin burns and eye damage. (H314) Precautionary statement(s) General Prevention Do not breathe vapour/mist. (P260) Wear face protection/protective gloves/protective clothing. (P280) Response IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) Immediately call a POISON CENTER/doctor. (P310) Storage Disposal Dispose of contents/container in accordance with local regulation (P501) Hazardous substances Phosphoric acid sulphuric acid dodecyldimethylaminoxid Additional labelling UFI: F886-7UQE-W3GK-19QY Labelling of contents according to Detergents Regulation (EC) No 648/2004 15% - 30% Phosphates < 5% Non-ionic surfactants 2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.


SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Phosphoric acid	CAS No.: 7664-38-2 EC No.: 231-633-2 REACH: 01-2119485924-24-0000 Index No.: 015-011-00-6	15-25%	Met. Corr. 1, H290 Skin Corr. 1B, H314 (SCL: 25.00 %)	[1]
sulphuric acid	CAS No.: 7664-93-9 EC No.: 231-639-5 REACH: 01-211945883 8-20-20 Index No.: 016-020-00-8	3-5%	Met. Corr. 1, H290 Skin Corr. 1A, H314 (SCL: 15.00 %) Skin Irrit. 2, H315 (SCL: 5.00 %) Eye Irrit. 2, H319 (SCL: 5.00 %)	[1]
dodecyldimethylaminoxid	CAS No.: 68955-55-5	1-3%	Skin Irrit. 2, H315	[19]



EC No.: 273-281-2 REACH: 01-2119489396-21-xxxx Index No.: Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1)

Å-Verodan ^A/s

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[1] European occupational exposure limit.

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms of inadvertent contact with products containing sulfuric acid are: extreme destruction of tissues of the mucous membranes and upper respiratory tract, eyes, and skin. Spasm, inflammation and edema of the larynx, Spasm, inflammation and edema of the bronchi.

Pneumonitis, pulmonary edema, burning sensation, cough, wheezing, laryngitis, Shortness of breath. Headache, Nausea, Vomiting. Effects may be delayed.

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are: Sulphur oxides

Å-Verodan ^⁄s

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances. Ensure adequate ventilation, especially in confined areas. Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material

Keep only in original packaging.

Storage temperature

0 - 40°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Phosphoric acid Long term exposure limit (8 hours) (mg/m³): 1 Short term exposure limit (15 minutes) (mg/m³): 2 Annotations: E = Substance has an EC limit.

sulphuric acid Long term exposure limit (8 hours) (mg/m³): 0,05 Short term exposure limit (15 minutes) (mg/m³): 0.1 Annotations: E = Substance has an EC limit.

Statutory order 291 on exposure limits for substances and mixtures (19/03/2024)

DNEL

dodecyldimethylaminoxid

NCÅ-Verodan ⁄ s

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	5.5 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	11 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.53 mg/m³
Long term – Systemic effects - Workers	Inhalation	6.2 mg/m ³
Long term – Systemic effects - General population	Oral	440 µg/kgbw/day
Phosphoric acid		
Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	360 µg/m³
Long term – Local effects - Workers	Inhalation	1 mg/m³
Long term – Systemic effects - General population	Inhalation	4.57 mg/m ³
Long term – Systemic effects - Workers	Inhalation	10.7 mg/m³
Short term – Local effects - Workers	Inhalation	2 mg/m ³
Long term – Systemic effects - General population	Oral	100 µg/kgbw/day
sulphuric acid		
Duration:	Route of exposure:	DNEL:
Long term – Local effects - Workers	Inhalation	50 μg/m³
Short term – Local effects - Workers	Inhalation	100 µg/m³

PNEC

dodecyldimethylaminoxid

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		33.5 μg/L
Freshwater sediment		5.24 mg/kg
Intermittent release (freshwater)		33.5 μg/L
Marine water		3.35 μg/L
Marine water sediment		524 µg/kg
Predators		11.1 mg/kg
Sewage treatment plant		24 mg/L
Soil		1.02 mg/kg

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment				
Туре	Class	Colour	Standards	
No special when used as intended.				
Skin protection				
Recommended	Type/Category	St	andards	
Dedicated work clothing should be worn.	-	-		A

Hand protection

Work situation	Material	Glove thickness	Breakthrough	Standards	
In the event of prolonged exposure or high concentrations	Butyl	(mm) 0,7	time (min.) > 240	EN374-2, EN374-3, EN388, EN421	
When there is risk of splash- / intermittent exposure	Nitrile	0.38	> 60	EN374-2, EN374-3, EN388	

Eye protection

Туре	Standards	
Face shield alternatively safety glasses with side shields.	EN166	E

SECTION 9: Physical and chemical properties

```
9.1. Information on basic physical and chemical properties
  Physical state
      Liquid
  Colour
      Clear
  Odour / Odour threshold
      Faint
  pН
      <1
  pH in solution
      1,5 (5%)
  Density (g/cm<sup>3</sup>)
      1.15
  Kinematic viscosity
     Testing not relevant or not possible due to the nature of the product.
  Particle characteristics
      Does not apply to liquids.
Phase changes
  Melting point/Freezing point (°C)
      Testing not relevant or not possible due to the nature of the product.
  Softening point/range (waxes and pastes) (°C)
      Does not apply to liquids.
  Boiling point (°C)
     Testing not relevant or not possible due to the nature of the product.
  Vapour pressure
     Testing not relevant or not possible due to the nature of the product.
```

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Relative vapour density Testing not relevant or not possible due to the nature of the product. Decomposition temperature (°C) Testing not relevant or not possible due to the nature of the product. Data on fire and explosion hazards Flash point (°C) Testing not relevant or not possible due to the nature of the product. Flammability (°C) Testing not relevant or not possible due to the nature of the product. Auto-ignition temperature (°C) Testing not relevant or not possible due to the nature of the product. Lower and upper explosion limit (% v/v) Testing not relevant or not possible due to the nature of the product. Solubility Solubility in water Completely soluble n-octanol/water coefficient (LogKow) Testing not relevant or not possible due to the nature of the product. Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product. Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product. Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product. Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product. 9.2. Other information Other physical and chemical parameters No data available. Oxidizing properties Testing not relevant or not possible due to the nature of the product.
SECTION 10: Stability and reactivity
 10.1. Reactivity No data available. 10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage". 10.3. Possibility of hazardous reactions None known.

10.4. Conditions to avoid None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

Thermal decomposition may produce corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Product/substance Species: Route of exposure: Test: Result:	Phosphoric acid Rat Oral LD50 2600 mg /kg ·		
Product/substance Species: Route of exposure: Test: Result:	Phosphoric acid Rabbit Dermal LD50 2740 mg/kg ·		
Product/substance Species: Route of exposure: Test:	Phosphoric acid Rat Inhalation LC50		

NCÅ-Verodan ⁄ s

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Result:	850 mg/l ·		
Product/substance Species: Route of exposure: Test: Result:	sulphuric acid Rat Oral LD50 2140 mg/kg ·		
Product/substance Species: Route of exposure: Test: Result:	sulphuric acid Rat Inhalation LC50 0,375 mg/kg ·		

Product/substance	dodecyldimethylaminoxid
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	3600 mg/kg ·

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

sulphuric acid has been classified by IARC as a group 1 carcinogen.

SECTION 12: Ecological information

12.1. Toxicity

IZ.I. IOXICILY			
Product/substance	Phosphoric acid		
Species:	Crustacean		
Duration:	48 hours		
Test:	EC50		
Result:	> 100 mg/l ·		
Product/substance	Phosphoric acid		
Species:	Algae		
Duration:	72 hours		

NCÅ-Verodan ⁄ s

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Test: Result:	EC50 > 100 mg/l ·	
Product/substance Species: Duration: Test: Result:	sulphuric acid Crustacean 48 hours EC50 > 100 mg/l ·	
Product/substance Species: Duration: Test: Result:	dodecyldimethylaminoxid Algae 72 hours LC50 0,86 mg/kg ·	
Product/substance Species: Duration: Test: Result:	dodecyldimethylaminoxid Fish 96 hours LC50 1-10 mg/l ·	
Product/substance Species: Duration: Test: Result:	dodecyldimethylaminoxid Daphnia 48 hours EC50 1-10 mg/ ·	
12.2. Persistence and o Product/substance Conclusion:	degradability Phosphoric acid Readily biodegradable	
Product/substance Conclusion:	sulphuric acid Readily biodegradable	
Product/substance Result: Conclusion: Test:	dodecyldimethylaminoxid 83,5% Readily biodegradable OECD 301 D	

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potentia

otential	
Phosphoric acid	
-2,1500	
No potential for bioaccumulation	
sulphuric acid No potential for bioaccumulation	
dodecyldimethylaminoxid 2,7000 No potential for bioaccumulation	
	Phosphoric acid -2,1500 No potential for bioaccumulation sulphuric acid No potential for bioaccumulation dodecyldimethylaminoxid 2,7000

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

organisms.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste. (*) HP 8 – Corrosive Dispose of contents/container to an approved waste disposal plant. Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste. EWC code 20 01 14* Acids Specific labelling Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	14.1 14.2 UN / ID UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric aci sulphuric acid)	Transport hazard class: 8 d, Label: 8 Classification code: C1	III	No	Limited quantities: 5 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric aci sulphuric acid)	Transport hazard class: 8 d, Label: 8 Classification code: C1	III	No	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
ΙΑΤΑ	UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric aci sulphuric acid)	Transport hazard class: 8 d, Label: 8 Classification code: C1	III	No	See below for additional information.

* Packing group

** Environmental hazards

Additional information

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments No data available.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable. Regulation on drug precursors

sulphuric acid is included (Category 3)

Regulation on explosives precursors

sulphuric acid (Annex I)

Labelling of contents according to Detergents Regulation (EC) No 648/2004

- 15% 30%
- · Phosphates
- < 5%

· Non-ionic surfactants

Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources

The Danish Working Environment Authority's executive order no. 1049 of 30 May 2021 on young people's work. Based on Council Directive 94/33 / EC of 22 June 1994 on the protection of young people at work. Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Council Regulation (EC) No 273/2004 on drug precursors.

Council Regulation (EC) No 2019/1148 on explosives precursors.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on

classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H290, May be corrosive to metals.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H400, Very toxic to aquatic life.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen) PC 35 = Washing and Cleaning Products (including solvent based products)

ERC 8a = Wide dispersive indoor use of processing aids in open systems

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADR = The European Agreement concerning the ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

<mark>₩ NCÅ-Verodan</mark> ⁄⁄s

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EuPCS = European Product Categorisation System EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative Additional information The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The safety data sheet is validated by

LEJ Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en