

SAFETY DATA SHEET

# Fumispore HA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Trade name

Fumispore HA

Unique formula identifier (UFI)

2800-UORP-S00F-1TY0

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

None known.

Use descriptors (REACH)

Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 8	Biocidal Products (e.g. Disinfectants, pest control)
Environmental release category	Description
ERC 8a	Wide dispersive indoor use of processing aids in open systems

Uses advised against

Consumer uses: Private households (= general public = consumers)  
 Udbredt udendørs anvendelse af proceshjælpemidler i åbne systemer

### 1.3. Details of the supplier of the safety data sheet

Company and address

**NCA-Verodan A/S**  
 Industriparken 5  
 DK-9560 Hadsund  
 Denmark  
 Tel.: +45 7027 1630  
 www.ncaa.dk

E-mail

mail@ncaa.dk

Revision

8/10/2023

SDS Version

1.0

### 1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)  
 See section 4 "First aid measures".

## SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP).

### 2.1. Classification of the substance or mixture

Eye Irrit. 2; H319, Causes serious eye irritation.

### 2.2. Label elements

Hazard pictogram(s)



Signal word

**Warning**

**Hazard statement(s)**

Causes serious eye irritation. (H319)

**Precautionary statement(s)**

**General**

-

**Prevention**

Wear face protection/protective gloves/protective clothing. (P280)

Do not breathe dust. (P260)

Wash hands thoroughly after handling. (P264)

**Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. (P305+P351+P338)

If eye irritation persists: Get medical advice/attention. (P337+P313)

**Storage**

-

**Disposal**

-

**Hazardous substances**

2-Hydroxyacetic,acid

**Additional labelling**

UFI: QVME-C4H3-4KG5-AK25

Active substance(s):

2-Hydroxyacetic,acid (3.5 g/100g)

**2.3. Other hazards**

**Additional warnings**

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

**SECTION 3: Composition/information on ingredients**

**3.1. Substances**

Not applicable. This product is a mixture.

**3.2. Mixtures**

Product/substance	Identifiers	% w/w	Classification	Note
Ammonium nitrate	CAS No.: 6484-52-2 EC No.: 229-347-8 REACH: 01-2119490981-27-XXXX Index No.:	20-45%	Ox. Sol. 3, H272 Eye Irrit. 2, H319	[3]
2-Hydroxyacetic,acid	CAS No.: 79-14-1 EC No.: 201-180-5 REACH: 01-2119485579-17-XXXX Index No.:	3-5%	EUH071 Skin Corr. 1B, H314 Eye Dam. 1, H318 Acute Tox. 4, H332	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

**Other information**

[3] According to REACH, Annex XVII, the substance is subject to restrictions.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

#### Eye contact

If in eyes: Flush eyes immediately with plenty of water or isotonic water (20-30 °C) for at least 5 minutes and continue until irritation stops. Remove contact lenses. Make sure to flush under upper and lower eyelids. If irritation continues, contact a doctor. Continue flushing during transport.

#### Ingestion

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### Burns

Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

Headache, Methaemoglobinaemia (Ammonium nitrate)

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

If eye irritation persists: Get medical advice/attention.

#### Information to medics

Bring this safety data sheet or the label from this product.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Sulphur oxides

Nitrogen oxides (NO<sub>x</sub>)

Carbon oxides (CO / CO<sub>2</sub>)

Some metal oxides

Ammonia (NH<sub>3</sub>)

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Contaminated areas may be slippery.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. In the event of leakage to the surroundings, contact local environmental authorities.

#### 6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Collect spills carefully. Moist the material with water in order to prevent the formation and propagation of dust.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

#### Recommended storage material

Keep only in original packaging.

#### Storage temperature

5 - 30°C

#### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

#### DNEL

##### 2-Hydroxyacetic,acid

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	28.85 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	80.769 mg/kg bw/day
Long term – Local effects - General population	Inhalation	383 µg/m <sup>3</sup>
Long term – Local effects - Workers	Inhalation	2.157 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Inhalation	2.61 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	14.811 mg/m <sup>3</sup>
Short term – Local effects - General population	Inhalation	2.3 mg/m <sup>3</sup>
Short term – Local effects - Workers	Inhalation	12.944 mg/m <sup>3</sup>
Short term – Systemic effects - General population	Inhalation	2.3 mg/m <sup>3</sup>
Short term – Systemic effects - Workers	Inhalation	12.944 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	750 µg/kgbw/day

##### Ammonium nitrate

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	2.56 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	5.12 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	8.9 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	36 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	2.56 mg/kg bw/day

#### PNEC

##### 2-Hydroxyacetic,acid

Route of exposure:	Duration of Exposure:	PNEC:
Sewage treatment plant		2.67 mg/L

##### Ammonium nitrate

Route of exposure:	Duration of Exposure:	PNEC:
Sewage treatment plant		18 mg/L

### 8.2. Exposure controls

Control is unnecessary if the product is used as intended.

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

### Exposure scenarios

There are no exposure scenarios implemented for this product.

### Exposure limits

Occupational exposure limits have not been defined for the substances in this product.

### Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

Airborne gas and dust concentrations must be kept at a minimum. Provide efficient mechanical ventilation. If not possible use suitable respiratory equipment.

### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

### Measures to avoid environmental exposure

No specific requirements.



### Individual protection measures, such as personal protective equipment

#### Generally


Take off contaminated clothing and wash it before reuse.

Use only CE marked protective equipment.



#### Respiratory Equipment

Work situation	Type	Class	Colour	Standards	
	No special when used as intended.				
When there is risk of dust formation	SL	P3	White	EN149	
When there is risk of formation of mist/aerosol	Combination Filter A2B2E2K2	Class 2 (medium capacity)	Brown/Gray/Yellow /Green	EN14387	


#### Skin protection

Recommended	Type/Category	Standards	
Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester.	-	-	

#### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Butyl	0.3	> 60	EN374-2, EN374-3, EN388	
Nitrile	0.38	> 60	EN374-2, EN374-3, EN388	

#### Eye protection

Type	Standards	
In the likelihood of direct or incidental exposure, use face protection.	EN166	

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state
  - Powder
- Colour
  - White
- Odour / Odour threshold
  - Faint
- pH
  -
- pH in solution
  - 4,6-5,7 (10%)
- Density (g/cm<sup>3</sup>)
  -
- Relative density
  - 0.66
- Kinematic viscosity
  - Does not apply to solids.
- Particle characteristics
  - Particle size: 143,5 µm
  - Size distribution: 36,6-435,3 µm
- Phase changes
  - Melting point/Freezing point (°C)
    - Testing not relevant or not possible due to the nature of the product.
  - Softening point/range (waxes and pastes) (°C)
    - Does not apply to solids.
  - Boiling point (°C)
    - Does not apply to solids.
  - Vapour pressure
    - Testing not relevant or not possible due to the nature of the product.
  - Relative vapour density
    - Does not apply to solids.
  - Decomposition temperature (°C)
    - Testing not relevant or not possible due to the nature of the product.
- Data on fire and explosion hazards
  - Flash point (°C)
    - Does not apply to solids.
  - Flammability (°C)
    - The material is not combustible.
  - Auto-ignition temperature (°C)
    - 213,8
  - Lower and upper explosion limit (% v/v)
    - Does not apply to solids.
- Solubility
  - Solubility in water
    - Testing not relevant or not possible due to the nature of the product.
  - n-octanol/water coefficient
    - Testing not relevant or not possible due to the nature of the product.
  - Solubility in fat (g/L)
    - Testing not relevant or not possible due to the nature of the product.
- 9.2. Other information
  - Other physical and chemical parameters
    - No data available.
  - Oxidizing properties
    - Testing not relevant or not possible due to the nature of the product.

## SECTION 10: Stability and reactivity

- 10.1. Reactivity
  - No data available.
- 10.2. Chemical stability
  - The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Causes serious eye irritation.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Long term effects

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

#### Endocrine disrupting properties

Not applicable.

#### Other information

None known.

## SECTION 12: Ecological information

### 12.1. Toxicity

No data available.

### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

### 12.6. Endocrine disrupting properties

Not applicable.

### 12.7. Other adverse effects

None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.  
 HP 4 - Irritant (skin irritation and eye damage)  
 Dispose of contents/container to an approved waste disposal plant.  
 Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

#### EWC code

Not applicable.

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

#### Additional information

Not dangerous goods according to ADR, IATA and IMDG.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application

Restricted to professional users.

#### Demands for specific education

No specific requirements.

#### SEVESO - Categories / dangerous substances

Ammonium nitrate

#### Biocidal Products Regulations

Product type: PT3 - Veterinary hygiene, PT4 - Food and feed area

#### Restrictions on use

-

#### Directions for use and dose rate

-

#### Additional information

-

#### Regulation on explosives precursors

Ammonium nitrate (Annex I)

#### REACH, Annex XVII

Ammonium nitrate is subject to REACH restrictions, REACH annex XVII (entry 58).

#### Additional information

Not applicable.

#### Sources

Executive Order no. 372 of 25 April 2016 on control of the risk of major accidents with dangerous substances.  
 Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.  
 Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.  
 Council Regulation (EC) No 2019/1148 on explosives precursors.



According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).  
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

## 15.2. Chemical safety assessment

No

### SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3

EUH071, Corrosive to the respiratory tract.  
H272, May intensify fire; oxidiser.  
H314, Causes severe skin burns and eye damage.  
H318, Causes serious eye damage.  
H319, Causes serious eye irritation.  
H332, Harmful if inhaled.

#### The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)  
PC 8 = Biocidal Products (e.g. Disinfectants, pest control)  
ERC 8a = Wide dispersive indoor use of processing aids in open systems

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway  
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
CE = Conformité Européenne (European conformity)  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
CSA = Chemical Safety Assessment  
CSR = Chemical Safety Report  
DMEL = Derived Minimal Effect Level  
DNEL = Derived No Effect Level  
EINECS = European Inventory of Existing Commercial chemical Substances  
ES = Exposure Scenario  
EUH statement = CLP-specific Hazard statement  
EWC = European Waste Catalogue  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IARC = International Agency for Research on Cancer (IARC)  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
OECD = Organisation for Economic Co-operation and Development  
PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SCL = A specific concentration limit  
SVHC = Substances of Very High Concern  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

#### The safety data sheet is validated by

LEJ

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en