

SAFETY DATA SHEET

Hydrogenperoxid 35%

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

Hydrogenperoxid 35% Unique formula identifier (UFI) PVJP-0W9Q-TN0C-8D8Y

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

PC35 Washing and cleaning products Restricted to professional users.

Product code (A.I.S.E.)

AISE-P801 / Food process cleaner. Cleaning In place (CIP) process.

Use descriptors (REACH)

| Sectors of use | Description |
|-----------------------------------|--|
| LCS "PW" | Professional uses: Public domain (administration, education, entertainment, services, craftsmen) |
| Product category | Description |
| PC 35 | Washing and Cleaning Products (including solvent based products) |
| Process category | Description |
| PROC 1 | Use in closed PROC ess, no likelihood of exposure |
| Environmental release category | Description |
| ERC 8a | Wide dispersive indoor use of processing aids in open systems |

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company and address NCÅ-Verodan A/S

Industriparken 5 DK-9560 Hadsund Denmark Tel.: +45 7027 1630 www.ncaa.dk E-mail

mail@ncaa.dk

Revision

05/03/2024 SDS Version

1.0

1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service) See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP).

2.1. Classification of the substance or mixture

Acute Tox. 4; H302, Harmful if swallowed. Skin Irrit. 2; H315, Causes skin irritation.

Eye Dam. 1; H318, Causes serious eye damage. STOT SE 3; H335, May cause respiratory irritation. 2.2. Label elements Hazard pictogram(s) Signal word Danger Hazard statement(s) Harmful if swallowed. (H302) Causes skin irritation. (H315) Causes serious eye damage. (H318) May cause respiratory irritation. (H335) Precautionary statement(s) General Prevention Wash hands and exposed skin thoroughly after handling. (P264) Wear face protection/protective gloves/protective clothing. (P280) Response IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) Immediately call a POISON CENTER/doctor. (P310) Storage Store in a well-ventilated place. Keep container tightly closed. (P403+P233) Disposal Dispose of contents/container in accordance with local regulation (P501) Hazardous substances hydrogen peroxide solution ... % Additional labelling UFI: PVJP-0W9Q-TN0C-8D8Y Labelling of contents according to Detergents Regulation (EC) No 648/2004 ≥ 30% · Oxygen-based bleaching Agents 2.3. Other hazards Additional warnings This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

| 3.2. | Mixtures | |
|------|----------|--|
| | | |

| Product/substance | Identifiers | % w/w | Classification | Note |
|----------------------------|--------------------------|--------|------------------------------------|------|
| hydrogen peroxide solution | CAS No.: 7722-84-1 | 25-40% | Ox. Liq. 1, H271 | |
| % | EC No.: 231-765-0 | | Acute Tox. 4, H302 | |
| | REACH: 01-2119485845- 22 | | Skin Corr. 1A, H314 (SCL: 70.00 %) | |
| | Index No.: 008-003-00-9 | | Skin Corr. 1B, H314 (SCL: 50.00 %) | |
| | | | Skin Irrit. 2, H315 (SCL: 35.00 %) | |
| | | | Eye Dam. 1, H318 (SCL: 8.00 %) | |
| | | | Eye Irrit. 2, H319 (SCL: 5.00 %) | |
| | | | Acute Tox. 4, H332 | |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

IF ON SKIN: Wash with plenty of water/water and soap.

Remove contaminated clothing and shoes. Ensure to wash exposed skin thoroughly with water and soap. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

Ingestion

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

The product contains substances that cause serious eye damage. Contact with these substances can cause irreversible effects on the eye / serious eye damage.

4.3. Indication of any immediate medical attention and special treatment needed IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances. Ensure adequate ventilation, especially in confined areas. Avoid inhalation of vapours from spilled material. Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill Å-Verodan ½

NCÅ-Verodan ⁴/s

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

| 6.3. Methods and material for containment and cleaning up Contain and collect spillage with non-combustible, absore earth and place in container for disposal according to loc Wherever possible cleaning should be performed with not 6.4. Reference to other sections See section 13 "Disposal considerations" on handling of w See section 8 "Exposure controls/personal protection" for | bent material e.g. sand, earth, vermicu al regulations. ormal cleaning agents. Avoid use of so vaste. | |
|---|--|-----------------------|
| SECTION 7: Handling and storage | | |
| 7.1. Precautions for safe handling Avoid direct contact with the product. Smoking, drinking and consumption of food is not allowed See section 8 "Exposure controls/personal protection" fo 7.2. Conditions for safe storage, including any incompatibilit Containers that have been opened must be carefully reserved Recommended storage material Keep only in original packaging. Storage temperature Dry, cool and well ventilated Incompatible materials Flammable liquids Reducing agents 7.3. Specific end use(s) This product should only be used for applications quoted | r information on personal protection. ties ealed and kept upright to prevent leak | age. |
| SECTION 8: Exposure controls/personal protection | | |
| 8.1. Control parameters hydrogen peroxide solution % Long term exposure limit (8 hours) (mg/m³): 1,4 Long term exposure limit (8 hours) (ppm): 1 Short term exposure limit (15 minutes) (mg/m³): 2,8 Short term exposure limit (15 minutes) (ppm): 2 Statutory order 202 on exposure limits for substances and | d mixtures (21/02/2023) | |
| DNEL | | |
| hydrogen peroxide solution % Duration: | Route of exposure: | DNEL: |
| long term – Local effects - General population | Inhalation | 210 µg/m ³ |

| Duration. | Route of exposure: | DNEL: |
|---|--------------------|-----------------------|
| Long term – Local effects - General population | Inhalation | 210 µg/m³ |
| Long term – Local effects - Workers | Inhalation | 1,4 mg/m³ |
| Long term – Local effects - Workers | Inhalation | 1.4 mg/m ³ |
| Short term – Local effects - General population | Inhalation | 1.93 mg/m³ |
| Short term – Local effects - Workers | Inhalation | 3 mg/m³ |
| Short term – Local effects - Workers | Inhalation | 3 mg/m³ |
| | | |

PNEC

hydrogen peroxide solution ... %

| Route of exposure: | Duration of Exposure: | PNEC: |
|-----------------------------------|-----------------------|-------------|
| Freshwater | | 12.6 µg/L |
| Freshwater sediment | | 47 µg/kg |
| Intermittent release (freshwater) | | 13.8 µg/L |
| Marine water | | 0,0126 mg/l |
| Marine water | | 12.6 µg/L |
| Marine water sediment | | 0,047 mg/l |

NCÅ-Verodan 🎋

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

| Marine water sediment | 47 μg/kg |
|------------------------|-----------|
| Sewage treatment plant | 4.66 mg/L |
| Soil | 2.3 µg/kg |

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

Take off contaminated clothing and wash it before reuse.

Measures to avoid environmental exposure

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally

Use only CE marked protective equipment.

Respiratory Equipment

| Work situation | Туре | Class | Colour | Standards | |
|---|------|------------------------------|--------|-----------|--|
| When there is risk of formation of mist/aerosol | В | Class 2 (medium capacity) | Gray | EN14387 | |

Skin protection

| Work situation | Recommended | Type/Category | Standards | |
|---|---|---------------|-----------|--|
| When there is risk of splash- / intermittent exposure | Dedicated work clothing should be worn. | - | - | |

Hand protection

| Mate | erial | Glove thickness (mm) | Breakthrough time (min.) | Standards | |
|--------|-------|----------------------|-----------------------------|-------------------------|--|
| Nitril | e | 0,3 | > 480 | EN374-2, EN374-3, EN388 | |

Eye protection

| Туре | Standards | |
|--|-----------|---|
| Face shield alternatively safety glasses with side shields. | EN166 | E |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

- Physical state Liquid
- Colour

| Clear Odour / Odour threshold None |
|--|
| рН |
| 1,5-4 Density (g/cm³) 1.13 |
| Kinematic viscosity Testing not relevant or not possible due to the nature of the product. Particle characteristics Does not apply to liquids. |
| Phase changes Melting point/Freezing point (°C) |
| -33,00000000 Softening point/range (waxes and pastes) (°C) |
| Does not apply to liquids. Boiling point (°C) 108 |
| Vapour pressure 299 Pa |
| Relative vapour density Testing not relevant or not possible due to the nature of the product. |
| Decomposition temperature (°C) Testing not relevant or not possible due to the nature of the product. Data on fire and explosion hazards |
| Flash point (°C) Testing not relevant or not possible due to the nature of the product. |
| Flammability (°C) Testing not relevant or not possible due to the nature of the product. |
| Auto-ignition temperature (°C) Testing not relevant or not possible due to the nature of the product. |
| Lower and upper explosion limit (% v/v) Testing not relevant or not possible due to the nature of the product. |
| Solubility Solubility in water |
| Completely soluble n-octanol/water coefficient (LogKow) -1.57 |
| Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product. |
| 9.2. Other information Other physical and chemical parameters |
| No data available. Oxidizing properties |
| Testing not relevant or not possible due to the nature of the product. |
| SECTION 10: Stability and reactivity |
| 10.1. Reactivity No data available. |
| 10.2. Chemical stabilityThe product is stable under the conditions, noted in section 7 "Handling and storage".10.3. Possibility of hazardous reactions |
| None known. 10.4. Conditions to avoid |
| Extremes of temperature 10.5. Incompatible materials Flammable liquids |
| Reducing agents |
| |

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

| Acute toxicity Product/substance Species: Route of exposure: | hydrogen peroxide solution % Rat Oral |
|---|--|
| Test: Result: | LD50 1193 mg/kg · |
| Product/substance Species: Route of exposure: Test: Result: | hydrogen peroxide solution % Rabbit Dermal LD50 >2000 mg/kg · |
| Product/substance Species: Route of exposure: Test: Result: | hydrogen peroxide solution % Rat Inhalation LC50 170 mg/m3 · |
| Harmful if swallowed. | |
| Skin corrosion/irritation Causes skin irritation. | |
| Serious eye damage/irrita Causes serious eye dar | |
| Respiratory sensitisation | a, the classification criteria are not met. |
| Skin sensitisation Based on available dat | a, the classification criteria are not met. |
| Germ cell mutagenicity Based on available dat | a, the classification criteria are not met. |
| Carcinogenicity Based on available dat | a, the classification criteria are not met. |
| Reproductive toxicity Based on available dat | a, the classification criteria are not met. |
| STOT-single exposure May cause respiratory | |
| STOT-repeated exposure | |
| Aspiration hazard | a, the classification criteria are not met. |
| Based on available dat 11.2. Information on othe | a, the classification criteria are not met. er hazards |
| Long term effects The product contains s | substances that cause serious eye damage. Contact with these substances can cause the eye / serious eye damage. |
| Endocrine disrupting pro This mixture/product of health. | perties does not contain any substances known to have hormone-disrupting properties in relation to |
| Other information hydrogen peroxide sol | ution % has been classified by IARC as a group 3 carcinogen. |
| SECTION 12: Ecological in | nformation |
| 12.1. Toxicity Product/substance | hydrogen peroxide solution % |

| hydrogen peroxide solution % |
|------------------------------|
| Fish |
| 96 hours |
| |

NCÅ-Verodan 🎋

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

| Test: Result: | LC50 16,4 mg/l · | |
|-------------------------------|--|--|
| Product/substance Species: | hydrogen peroxide solution % Crustacean | |

| species. | Clustacean | |
|-----------|------------|--|
| Duration: | 48 hours | |
| Test: | EC50 | |
| Result: | 2,4 mg/l · | |
| | | |
| | | |

Product/substancehydrogen peroxide solution ... %Species:AlgaeDuration:72 hoursTest:EC50Result:1,38 mg/l ·

12.2. Persistence and degradability

| Product/substance | 5 | hydrogen peroxide solution % |
|-------------------|---|------------------------------|
| Conclusion: | | Readily biodegradable |

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

| Product/substance | hydrogen peroxide solution % |
|-------------------|----------------------------------|
| LogKow: | -1,5700 |
| Conclusion: | No potential for bioaccumulation |

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste. (*) HP 5 - Specific Target Organ Toxicity (STOT)/Aspiration Toxicity HP 6 - Acute toxicity HP 8 - Corrosive Dispose of contents/container to an approved waste disposal plant. Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste. EWC code 16 09 03* Peroxides, for example hydrogen peroxide Waste group O: Reactive waste Specific labelling Not applicable.

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

| | 14.1 14.2 | 14.3 | 14.4 | 14.5 | Other |
|-----|--|---|------|-------|----------------------------|
| | UN / ID UN proper shipping name | Hazard class(es) | PG* | Env** | information: |
| ADR | UN2014 HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but | Transport hazard class: 5.1 Label: 5.1+8 | Π | No | Limited quantities: 1 L |

NCÅ-Verodan ⁄ s

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

| | 14.1 UN / ID | 14.2 UN proper shipping name | 14.3 Hazard class(es) | 14.4 PG* | 14.5 Env** | Other information: |
|--|---|---|--|-----------------------------|---------------|---|
| | | not more than 60% hydrogen peroxide (stabilized as necessary) | Classification code: OC1 | | | Tunnel restriction code: (E) See below for additional information. |
| IMDG | UN2014 | HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but not more than 60% hydrogen peroxide (stabilized as necessary) | Transport hazard class: 5.1 Label: 5.1+8 Classification code: OC1 | Ш | No | Limited quantities: 1 l EmS: F-H S-Q See below for additional information. |
| ΙΑΤΑ | UN2014 | HYDROGEN PEROXIDE, AQUEOUS SOLUTION with not less than 20% but not more than 60% hydrogen peroxide (stabilized as necessary) | Transport hazard class: 5.1 Label: 5.1+8 Classification code: OC1 | Ш | No | See below for additional information. |
| with tr accide IMDG transp IATA / transp This pi 14.6. Spe Not ap 14.7. Mar | mental h al inform See Tab ansport nts duri / See se ort. See Tab ort. roduct is cial preo pplicable | hation le A, section 3.2.1 for any information c. See section 5.4.3, for instructions in ng transport. ction 3.2.1, for any information on special ole 4.2 for any information on special s within scope of the regulations of the cautions for user e. ansport in bulk according to IMO ins | n writing regarding mitigation o pecial provisions, requirements, provisions, requirements, or w ransport of dangerous goods. | f damages ir or warnings | n relation | to incidents ection with |
| SECTION | l 15: Reg | gulatory information | | | | |
| Restric | tions fo | Ith and environmental regulations/le or application | gislation specific for the substa | nce or mixtu | re | |

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

Demands for specific education

No specific requirements.

SEVESO - Categories / dangerous substances

Not applicable.

Regulation on explosives precursors

hydrogen peroxide solution ... % (Annex I)

Labelling of contents according to Detergents Regulation (EC) No 648/2004

≥ 30%

· Oxygen-based bleaching Agents

Additional information

Not applicable.

Sources

The Danish Working Environment Authority's executive order no. 1049 of 30 May 2021 on young people's work. Based on Council Directive 94/33 / EC of 22 June 1994 on the protection of young people at work.



Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Council Regulation (EC) No 2019/1148 on explosives precursors.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

Full text of H-phrases as mentioned in section 3

H271, May cause fire or explosion; strong oxidiser.

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H332, Harmful if inhaled.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen) PROC 1 = Use in closed PROC ess, no likelihood of exposure

PC 35 = Washing and Cleaning Products (including solvent based products)

ERC 8a = Wide dispersive indoor use of processing aids in open systems

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

The safety data sheet is validated by

LEJ

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en

Å-Verodan ⁄⁄s