


Foam Alu 113

Type:	Foam Alu 113 is an alkaline foam cleaning agent	Date: 06.12.2017
Application:	Applied when an efficient cleaning is needed.	
Properties:	Foam Alu 113 is very effective in removing fats, proteins and starches. Due to a selected combination of surfactants and calcium chelators the cleaning effect is very high.	
Dosage:	Use concentration: 2-5%. Temperature: 0-60°C. Max. 40°C at high protein level. Action time app. 5 – 20 minutes. Rinse off before the foam is dry. After cleaning procedure, all surfaces intended for contact with foodstuffs must be rinsed thoroughly with clean water. Foam Alu 113 is very good to use on aluminum and other non-alkali-resistant materials.	
Declaration:	Under 5% Amphoteric, anionic and nonionic surfactants. 5% or more, but less than 15% Alkali.	
pH:	Concentrated: App.13,0. 1% dilution: App.12,0	
Density:	App. 1,11g./ml.	
Storage:	Store properly, out of reach of children, and not together with food, feed, pharmaceutical products or the like. Store only in original packaging. Store frost free.	
Approval:	This product is following the general requirements of the legislation regarding foodstuffs for products applied in food businesses. Meaning that when used under normal conditions and at normal dosage and under predictable conditions, this product will not discharge contents to an extent providing any risk for human health.	
Safety:	Please see the provided safety data sheet.	



NCA-Verodan A/S

Industriparken 5 - DK 9560 Hadsund

Tlf: +45 7027 1630

www.ncaa.dk - mail@ncaa.dk