

## SAFETY DATA SHEET

## CIP 1103 SD

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

## Trade name

CIP 1103 SD

## ▼ Unique formula identifier (UFI)

VP90-H0PC-F00W-TUDM

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Relevant identified uses of the substance or mixture

PC35 Washing and cleaning products

Restricted to professional users.

## Product code (A.I.S.E.)

AISE-P801 / Food process cleaner. Cleaning In place (CIP) process.

## Use descriptors (REACH)

Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)
Process category	Description
PROC 1	Anvendelse i lukket proces, ingen sandsynlighed for eksponering.
Environmental release category	Description
ERC 8a	Wide dispersive indoor use of processing aids in open systems

## Uses advised against

None known.

## 1.3. Details of the supplier of the safety data sheet

## Company and address

**NCA-Verodan A/S**

Industriparken 5

DK-9560 Hadsund

Denmark

Tel.: +45 7027 1630

www.ncaa.dk

## E-mail

mail@ncaa.dk

## Revision

14/05/2025

## SDS Version

2.0

## Date of previous version

14/05/2025 (1.0)

## 1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)

See section 4 "First aid measures".

## SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP).

## 2.1. Classification of the substance or mixture

Met. Corr. 1; H290, May be corrosive to metals.  
Skin Corr. 1A; H314, Causes severe skin burns and eye damage.  
Eye Dam. 1; H318, Causes serious eye damage.

## 2.2. Label elements

### Hazard pictogram(s)



### Signal word

Danger

### Hazard statement(s)

May be corrosive to metals. (H290)  
Causes severe skin burns and eye damage. (H314)

### Precautionary statement(s)

#### General

-

#### Prevention

Do not breathe vapour/mist. (P260)  
Wear face protection/protective gloves/protective clothing. (P280)

#### Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
(P303+P361+P353)  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
Continue rinsing. (P305+P351+P338)

#### Storage

Store in a container with a resistant inner liner. (P406)

#### Disposal

Dispose of contents/container in accordance with local regulation  
(P501)

### Hazardous substances

sodium hydroxide  
Potassium hydroxide

### ▼ Additional labelling

UFI: 6KM9-FGYN-WDG6-4JMQ

### Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

- Amphoteric surfactants
- Non-ionic surfactants
- Phosphonates

## 2.3. Other hazards

### Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.  
This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
sodium hydroxide	CAS No.: 1310-73-2 EC No.: 215-185-5 REACH: 01-2119457892-27xxxx Index No.: 011-002-00-6	15-25%	Skin Corr. 1A, H314 Skin Corr. 1B, H314 (SCL: 2.00 %) Skin Irrit. 2, H315 (SCL: 0.50 %) Eye Irrit. 2, H319 (SCL: 0.50 %)	
Potassium hydroxide	CAS No.: 1310-58-3 EC No.: 215-181-3	5-10%	Met. Corr. 1, H290 Acute Tox. 4, H302	

	REACH: 01-2119487136-33xxxx Index No.: 019-002-00-8	Skin Corr. 1A, H314
sodium N-(2-carboxyethyl)-N-(2-ethylhexyl)-β-alaninate	CAS No.: 94441-92-6 EC No.: 305-318-6 REACH: 2119974109-30-xxxx Index No.:	1-3%

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

-

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

##### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

##### Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

##### Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

##### Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

##### Burns

Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

#### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

##### Information to medics

Bring this safety data sheet or the label from this product.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Not applicable.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Some metal oxides

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

### 6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Store in a container with a resistant inner liner.

#### Recommended storage material

Keep only in original packaging.

#### Storage conditions

0 - 40°C

#### Incompatible materials

Aluminium

Zinc

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

sodium hydroxide

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 2

Annotations:

L = The limit is a ceiling value that at no time may be exceeded.

Potassium hydroxide

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 2

Statutory order 1619 on exposure limits for substances and mixtures (19/12/2024)

### DNEL

Potassium hydroxide

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1 mg/m <sup>3</sup>
Long term – Local effects - Workers	Inhalation	1 mg/m <sup>3</sup>

sodium hydroxide

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1 mg/m <sup>3</sup>
Long term – Local effects - Workers	Inhalation	1 mg/m <sup>3</sup>

#### PNEC

No data available.

#### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

##### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

##### Exposure scenarios

There are no exposure scenarios implemented for this product.

##### Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

##### Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

##### Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

##### Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

#### Individual protection measures, such as personal protective equipment

##### Generally

In the event the work process is within scope of the Danish statutory order on work with code numbered products (Work Inspectorate Order no. 302/1993), then personal protection equipment shall be selected as set out herein. If applicable, please refer to the code number of this product in section 15.


Use only CE marked protective equipment.

##### Respiratory Equipment

Type	Class	Colour	Standards
No special when used as intended.			



##### Skin protection

Work situation	Recommended	Type/Category	Standards
When there is risk of splash- / intermittent exposure	Dedicated work clothing should be worn.	-	-



##### Hand protection

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Nitrile	0,38	> 480	EN374-2, EN16523-1, EN388
Neoprene (Neoprene)	0.38	> 60	EN374-2, EN374-3, EN388

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards
Butyl	0.3	> 60	EN374-2, EN374-3, EN388



#### Eye protection

Type	Standards
Face shield alternatively safety glasses with side shields.	EN166
Face shield alternatively safety glasses with side shields.	EN166



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

#### Physical state

Liquid

#### Colour

Colourless

#### Odour / Odour threshold

Characteristic

#### pH

14

#### pH in solution

11,6 (0,5%)

#### Density (g/cm<sup>3</sup>)

1.3

#### Kinematic viscosity

No data available.

#### Particle characteristics

Does not apply to liquids.

#### Phase changes

##### Melting point/Freezing point (°C)

No data available.

##### Softening point/range (°C)

Does not apply to liquids.

##### Boiling point (°C)

No data available.

##### Vapour pressure

No data available.

##### Relative vapour density

No data available.

##### Decomposition temperature (°C)

No data available.

#### Data on fire and explosion hazards

##### Flash point (°C)

No data available.

##### Flammability (°C)

No data available.

##### Auto-ignition temperature (°C)

No data available.

##### Lower and upper explosion limit (% v/v)

No data available.

#### Solubility

#### Solubility in water

Completely soluble

#### n-octanol/water coefficient (LogKow)

No data available.

#### Solubility in fat (g/L)

No data available.

### 9.2. Other information

#### Other physical and chemical parameters

No data available.

#### Oxidizing properties

No data available.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Aluminium

Zinc

### 10.6. Hazardous decomposition products

Thermal decomposition may produce corrosive vapours.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product/substance	sodium hydroxide
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	1,350 mg/kg ·

Product/substance	sodium hydroxide
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	140-340 mg/kg ·

Product/substance	Potassium hydroxide
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	365 mg/kg ·

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/irritation

Causes serious eye damage.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

#### Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

#### Other information

None known.

## SECTION 12: Ecological information

### 12.1. Toxicity

Product/substance	sodium hydroxide
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	35 - 189 mg/l ·

Product/substance	sodium hydroxide
Species:	Crustacean
Duration:	48 hours
Test:	EC50
Result:	40,4 mg/l ·

Product/substance	Potassium hydroxide
Species:	Fish
Duration:	48 hours
Test:	LC50
Result:	125 mg/l ·

Product/substance	Potassium hydroxide
Species:	Daphnia
Duration:	96 hours
Test:	EC50
Result:	40-240 mg/l ·

Based on available data, the classification criteria are not met.

### 12.2. Persistence and degradability

Based on available data, the classification criteria are not met.

### 12.3. Bioaccumulative potential

Product/substance	sodium hydroxide
BCF:	0
LogKow:	-3,8800
Conclusion:	No potential for bioaccumulation

Product/substance	Potassium hydroxide
LogKow:	-3,8800
Conclusion:	No potential for bioaccumulation

### 12.4. Mobility in soil

No data available.



#### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

#### 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

#### 12.7. Other adverse effects

None known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste. (\*)

HP 8 – Corrosive

Dispose of contents/container to an approved waste disposal plant.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

##### EWC code

Waste group H:

Waste with low

energy content

20 01 15\* Alkalines



##### Specific labelling

Not applicable.

##### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

### SECTION 14: Transport information

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN1760	CORROSIVE LIQUID, N.O.S. (sodium hydroxide)	Transport hazard class: 8 Label: 8 Classification code: C9 	II	No	Limited quantities: 1 L Tunnel restriction code: (E) See below for additional information .
IMDG	UN1760	CORROSIVE LIQUID, N.O.S. (sodium hydroxide)	Transport hazard class: 8 Label: 8 Classification code: C9 	II	No	Limited quantities: 1 L EmS: F-A S-B See below for additional information .
IATA	UN1760	CORROSIVE LIQUID, N.O.S. (sodium hydroxide)	Transport hazard class: 8 Label: 8 Classification code: C9	II	No	See below for additional information .

14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other informatio n:
-----------------	---------------------------------	--------------------------	-------------	---------------	---------------------------



\* Packing group

\*\* Environmental hazards

#### Additional information

This product is within scope of the regulations of transport of dangerous goods.

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

#### 14.6. Special precautions for user

Not applicable.

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

##### Demands for specific education

No specific requirements.

##### SEVESO - Categories / dangerous substances

Not applicable.

##### Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

- Amphoteric surfactants
- Non-ionic surfactants
- Phosphonates

##### Regulation on work involving coded products

Code number (1993): 00-4.

##### Additional information

Not applicable.

##### Sources

The Danish Working Environment Authority's executive order no. 1049 of 30 May 2021 on young people's work.

Based on Council Directive 94/33 / EC of 22 June 1994 on the protection of young people at work.

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Arbejdstilsynets bekendtgørelse nr. 301 af 13. maj 1993 om fastsættelse af kodenumre med senere ændringer.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on

classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

No

### SECTION 16: Other information

#### Full text of H-phrases as mentioned in section 3

H290, May be corrosive to metals.

H302, Harmful if swallowed.  
H314, Causes severe skin burns and eye damage.  
H315, Causes skin irritation.  
H319, Causes serious eye irritation.

#### The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)  
PROC 1 = Anvendelse i lukket proces, ingen sandsynlighed for eksponering.  
PC 35 = Washing and Cleaning Products (including solvent based products)  
ERC 8a = Wide dispersive indoor use of processing aids in open systems

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway  
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
CE = Conformité Européenne (European conformity)  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
CSA = Chemical Safety Assessment  
CSR = Chemical Safety Report  
DMEL = Derived Minimal Effect Level  
DNEL = Derived No Effect Level  
EINECS = European Inventory of Existing Commercial chemical Substances  
ES = Exposure Scenario  
EUH statement = CLP-specific Hazard statement  
EuPCS = European Product Categorisation System  
EWC = European Waste Catalogue  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
GWP = Global warming potential  
IARC = International Agency for Research on Cancer (IARC)  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
OECD = Organisation for Economic Co-operation and Development  
PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SCL = A specific concentration limit  
SVHC = Substances of Very High Concern  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

#### The safety data sheet is validated by

LEJ

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.  
The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.  
It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.  
Country-language: DK-en