NCÅ-Verodan ⁴/s

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

SAFETY DATA SHEET

CIP 1103 SD

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

CIP 1103 SD

Unique formula identifier (UFI)

VP90-H0PC-F00W-TUDM

1.2. Relevant identified uses of the substance or mixture and uses advised against

- Relevant identified uses of the substance or mixture PC35 Washing and cleaning products
 - Restricted to professional users.

Product code (A.I.S.E.)

Code

AISE-P801 / Food process cleaner. Cleaning In place (CIP) process.

Use descriptors (REACH)

Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)
Process category	Description
PROC 1	Anvendelse i lukket proces, ingen sandsynlighed for eksponering.
Environmental release category	Description
ERC 9a	Wide dispersive indoor use of substances in closed systems

Uses advised against None known.

1.3. Details of the supplier of the safety data sheet

Company and address

NCÅ-Verodan A/S Industriparken 5 DK-9560 Hadsund Denmark Tel.: +45 7027 1630 www.ncaa.dk E-mail mail@ncaa.dk Revision 9/5/2023 SDS Version 2.0 Date of previous version 11/7/2022 (1.0) 1.4. Emergency telephone number Contact the poison hotline: +45 82 12 12 12 (2)

Contact the poison hotline: +45 82 12 12 12 (24 hour service) See section 4 "First aid measures".

SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP).

M NCÅ-Verodan ⁄ s

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

```
2.1. Classification of the substance or mixture
    Skin Corr. 1A; H314, Causes severe skin burns and eye damage.
    Eye Dam. 1; H318, Causes serious eye damage.
 2.2. Label elements
    Hazard pictogram(s)
    Signal word
       Danger
    Hazard statement(s)
       Causes severe skin burns and eye damage. (H314)
    Precautionary statement(s)
       General
       Prevention
         Do not breathe vapour/mist. (P260)
         Wear face protection/protective gloves/protective clothing. (P280)
       Response
         IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353)
         IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
         Continue rinsing. (P305+P351+P338)
         Immediately call a POISON CENTER/doctor. (P310)
       Storage
         _
       ▼ Disposal
         Dispose of contents/container in accordance with local regulation (P501)
    Hazardous substances
       sodium hvdroxide
       Potassium hydroxide
    Additional labelling
       UFI: VP90-H0PC-F00W-TUDM
 2.3. Other hazards
    Additional warnings
       This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT
       and/or vPvB.
       This product does not contain any substances considered to be endocrine disruptors in accordance with the
       criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.
  SECTION 3: Composition/information on ingredients
 3.1. ▼ Substances
    Not applicable. This product is a mixture.
 3.2. ▼ Mixtures
Product/substance
                            Identifiers
                                                                              Classification
                                                                                                                   Note
                                                             % w/w
                            CAS No.: 1310-73-2
                                                                              Skin Corr. 1A, H314
sodium hvdroxide
                                                             15-25%
                            EC No.: 215-185-5
                                                                              Skin Corr. 1B, H314 (SCL: 2.00 %)
                            REACH: 01-2119457892-27xxxx
                                                                              Skin Irrit. 2, H315 (SCL: 0.50 %)
                            Index No.: 011-002-00-6
                                                                              Eye Irrit. 2, H319 (SCL: 0.50 %)
Potassium hydroxide
                            CAS No.: 1310-58-3
                                                             5-10%
                                                                              Met. Corr. 1, H290
```

1-3%

sodium N-(2-carboxyethyl)-N-

(2-ethylhexyl)-β-alaninate

EC No.: 215-181-3

REACH: 01-2119487136-33xxxx

REACH: 2119974109-30-xxxx

Index No.: 019-002-00-8

CAS No.: 94441-92-6

EC No.: 305-318-6

Index No.:

Acute Tox. 4, H302

Skin Corr. 1A, H314

<mark>₩ NCÅ-Verodan</mark> ^۸⁄s

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

If skin irritation occurs: Get medical advice/attention.

▼ Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

▼ Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

Burns

Not applicable.

4.2. ▼ Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Some metal oxides

5.3. ▼ Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

NCÅ-Verodan ⁄ s

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Avoid direct contact with spilled substances. Ensure adequate ventilation, especially in confined areas. Contaminated areas may be slippery.

6.2. Environmental precautions Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

6.3. ▼ Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid direct contact with the product. Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. ▼ Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Recommended storage material

Keep only in original packaging.

- ▼ Storage temperature
 - 0 40°C

Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. ▼ Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. ▼ Control parameters

sodium hydroxide

Long term exposure limit (8 hours) (mg/m³): 2 Short term exposure limit (15 minutes) (mg/m³): 2 Annotations: L = The limit is a ceiling value that at no time may be exceeded.

Potassium hydroxide Long term exposure limit (8 hours) (mg/m³): 2 Short term exposure limit (15 minutes) (mg/m³): 2

Statutory order 202 on exposure limits for substances and mixtures (21/02/2023)

DNEL

No data available.

PNEC

No data available.

8.2. ▼ Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis. General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios

There are no exposure scenarios implemented for this product.

Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.



▼ Appropriate technical measures

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Ensure that eyewash stations and safety showers are located within easy reach.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment

Generally

In the event the work process is within scope of the Danish statutory order on work with code numbered products (Work Inspectorate Order no. 302/1993), then personal protection equipment shall be selected as set out herein. If applicable, please refer to the code number of this product in section 15. Use only CE marked protective equipment.

Respiratory Equipment

ĸe	spiratory Equipment					
	Туре	Class	Colour		Standards	
	No special when used as intended.					
Ski	in protection					
	Recommended	Type/Category	St	tandards		
	Dedicated work clothing should be worn.	-	-			Ŕ
V	Hand protection					
	Material	Glove thickness (mm)	Breakthrough (min.)	time	Standards	
	Nitrile	0,38	> 480		EN374-2, EN374-3, EN388	
	Neoprene (Neoprene)	0.38	> 60		EN374-2, EN374-3, EN388	
	Butyl	0.3	> 60		EN374-2, EN374-3, EN388	
Eye	e protection					
-	Туре	Standards				
	In the likelihood of direct or incidental exposure, use face protection.	EN166				E
	Face shield alternatively safety glasses with side shields.	EN166				E

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Liquid Colour Colourless



Odour / Odour threshold
Characteristic pH
14
pH in solution 11,6 (0,5%)
Density (g/cm³) 1.3
Kinematic viscosity Testing not relevant or not possible due to the nature of the product.
Particle characteristics Does not apply to liquids.
Phase changes Melting point/Freezing point (°C)
Testing not relevant or not possible due to the nature of the product.
Softening point/range (waxes and pastes) (°C) Does not apply to liquids.
Boiling point (°C) Testing not relevant or not possible due to the nature of the product.
Vapour pressure
Testing not relevant or not possible due to the nature of the product. Relative vapour density
Testing not relevant or not possible due to the nature of the product. Decomposition temperature (°C)
Testing not relevant or not possible due to the nature of the product. Data on fire and explosion hazards
Flash point (°C)
Testing not relevant or not possible due to the nature of the product.
Flammability (°C) Testing not relevant or not possible due to the nature of the product.
Auto-ignition temperature (°C) Testing not relevant or not possible due to the nature of the product.
Lower and upper explosion limit (% v/v) Testing not relevant or not possible due to the nature of the product.
Solubility
Solubility in water Completely soluble
n-octanol/water coefficient
Testing not relevant or not possible due to the nature of the product.
Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product.
9.2. Other information
Other physical and chemical parameters No data available.
▼ Oxidizing properties
Testing not relevant or not possible due to the nature of the product.
SECTION 10: Stability and reactivity
10.1. Reactivity
No data available. 10.2. Chemical stability
The product is stable under the conditions, noted in section 7 "Handling and storage".
10.3. Possibility of hazardous reactions None known.
10.4. Conditions to avoid
None known.
10.5. Incompatible materials Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.
10.6. ▼ Hazardous decomposition products

NCÅ-Verodan ⁄ s

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Thermal decomposition may produce corrosive vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Ρ

Product/substance	sodium hydroxide
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	1,350 mg/kg ·

|--|

Product/substance	Potassium hydroxide
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	365 mg/kg ·

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory sensitisation

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

▼ Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Endocrine disrupting properties

Not applicable.

Other information

None known.

SECTION 12: Ecological information

12.1. ▼Toxicity Product

Product/substance	sodium hydroxide
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	35 - 189 mg/l ·

NCÅ-Verodan ⁴/_s

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

Product/substancePotassium hydroxideSpecies:FishDuration:48 hoursTest:LC50Result:125 mg/l ·Product/substancePotassium hydroxideSpecies:DaphniaDuration:96 hoursTest:EC50Result:40-240 mg/l · 12.2. Persistence and degradability No data available. 12.3. V Bioaccumulative potential Product/substancesodium hydroxideTest:EC50Result:40-240 mg/l · 12.2. Persistence and degradability No data available. 12.3. V Bioaccumulative potential Product/substancesodium hydroxideTest method:-3,8800BCF:0Other information:NoLogPow:-3,8800BCF:No data available.Other information:NoLogPow:-3,8800BCF:No data available.Other information:	
Species: Daphnia Duration: 96 hours Test: EC50 Result: 40-240 mg/l · 12.2. Persistence and degradability No data available. 12.3. ▼ Bioaccumulative potential Product/substance Product/substance sodium hydroxide Test method: Potential bioaccumulation: Potential bioaccumulation: No LogPow: -3,8800 BCF: 0 Product/substance Potassium hydroxide Test method: Potential bioaccumulation: Product/substance Potassium hydroxide Test method: - Product/substance Potassium hydroxide Test method: - Potential bioaccumulation: No LogPow: -3,8800 BCF: No data available.	
No data available. 12.3. ▼Bioaccumulative potential Product/substance sodium hydroxide Test method: Potential bioaccumulation: No LogPow: -3,8800 BCF: 0 Other information: Product/substance Potassium hydroxide Test method: Product/substance Potassium hydroxide Test method: Potential bioaccumulation: No LogPow: -3,8800 BCF: No data available.	
12.3. ▼Bioaccumulative potential Product/substance sodium hydroxide Test method: Potential bioaccumulation: Potential bioaccumulation: No LogPow: -3,8800 BCF: 0 Other information: Potassium hydroxide Test method: Potassium hydroxide Test method:	
Test method: Potential bioaccumulation: No LogPow: -3,8800 BCF: No data available.	
 12.4. Mobility in soil No data available. 12.5. Results of PBT and vPvB assessment This mixture/product does not contain any substances considered to meet the criteria classifying them as PB⁻ vPvB. 12.6. ▼ Endocrine disrupting properties Not applicable. 12.7. Other advance offects 	۲ and/or
12.7. Other adverse effects None known.	
SECTION 13: Disposal considerations	

Product is covered by the regulations on hazardous waste. HP 8 – Corrosive Dispose of contents/container to an approved waste disposal plant. Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

20 01 15* Alkalines Waste group H: Waste with low energy content

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

№ NCÅ-Verodan ⁴/s

According to EC-Regulation 1907/2006 (REACH), annex II, including changes implemented by EC-Regulation 2020/878

INORGANIC, N.O.S. (sodium hydroxic Potassium hydroxide) IATA UN3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxic Potassium hydroxide) * Packing group	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
INORGANIC, N.O.S. (sodium hydroxia Potassium hydroxide) IATA UN3266 CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxia Potassium hydroxide) ** Packing group ** Environmental hazards Additional information ADR / See Table A, Section 3.2.1 for any information accidents during transport. IMDG / See section 3.2.1, for any information or transport. IMDG / See section 3.2.1, for any information or transport. IATA / See Table 4.2 for any information on spect transport. This product is within scope of the regulations of 14.6. Special precautions for user Not applicable. 14.7. Maritime transport in bulk according to IMO No data available. SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations Restrictions for application Restricted to professional users. People under the age of 18 shall not be expo Demands for specific education No specific requirements. SEVESO - Categories / dangerous substances Not applicable. * Labelling of contents according to Detergents < 5%	Transport hazard class: 8 de, Label: 8 Classification code: C5	Π	No	Limited quantities: 1 L Tunnel restriction code: (E) See below for additional information.
 INORGANIC, N.O.S. (sodium hydroxid Potassium hydroxide) * Packing group ** Environmental hazards Additional information ADR / See Table A, Section 3.2.1 for any information accidents during transport. IMDG / See section 3.2.1, for any information or transport. IATA / See Table 4.2 for any information on spectransport. This product is within scope of the regulations of the applicable. 14.6. Special precautions for user Not applicable. 14.7. Maritime transport in bulk according to IMO No data available. SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations Restricted to professional users. People under the age of 18 shall not be exped Demands for specific education No specific requirements. SEVESO - Categories / dangerous substances Not applicable. I Labelling of contents according to Detergents 	Transport hazard class: 8 de, Label: 8 Classification code: C5	Π	No	Limited quantities: 1 L EmS: F-A S-B See below for additional information.
 ADR / See Table A, Section 3.2.1 for any informative with transport. See section 5.4.3, for instruction accidents during transport. IMDG / See section 3.2.1, for any information or transport. IATA / See Table 4.2 for any information on spectransport. This product is within scope of the regulations of transport. 14.6. Special precautions for user Not applicable. 14.7. Maritime transport in bulk according to IMO No data available. SECTION 15: Regulatory information 15.1. Safety, health and environmental regulations Restricted to professional users. People under the age of 18 shall not be experimental for specific requirements. SEVESO - Categories / dangerous substances Not applicable. ✓ Labelling of contents according to Detergents 	Transport hazard class: 8 de, Label: 8 Classification code: C5	П	No	See below for additional information.
 15.1. Safety, health and environmental regulations Restrictions for application Restricted to professional users. People under the age of 18 shall not be expected Demands for specific education No specific requirements. SEVESO - Categories / dangerous substances Not applicable. ✓ Labelling of contents according to Detergents < 5% 	n special provisions, requirements, o cial provisions, requirements, or war of transport of dangerous goods.	or warnings	in conn	ection with
 Restrictions for application Restricted to professional users. People under the age of 18 shall not be experiments Demands for specific education No specific requirements. SEVESO - Categories / dangerous substances Not applicable. Labelling of contents according to Detergents < 5% 				
	osed to this product.	ce or mixtu	re	
• Non-ionic surfactants • Phosphonates Product registration number				

PR Nr 2293434 Additional information

Code number (1993): 00-4.

Sources



The Danish Working Environment Authority's executive order no. 239 of 6 April 2005 on young people's work. Based on Council Directive 94/33 / EC of 22 June 1994 on the protection of young people at work. Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Arbejdstilsynets bekendtgørelse nr. 301 af 13. maj 1993 om fastsættelse af kodenumre med senere ændringer. 1993 Hazardous Substances Law

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

▼ Full text of H-phrases as mentioned in section 3

, H290, May be corrosive to metals.

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H319, Causes serious eye irritation.

The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PROC 1 = Anvendelse i lukket proces, ingen sandsynlighed for eksponering.

PC 35 = Washing and Cleaning Products (including solvent based products)

ERC 9a = Wide dispersive indoor use of substances in closed systems

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of

1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

▼ Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

▼ The safety data sheet is validated by

LEJ

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en