

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name

CIP 1103 SD

Product no.

-

REACH registration number

Not applicable

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

PC35 Washing and cleaning products

Washing and Cleaning Products (including solvent based products) (PC35)

Use in closed, continuous process with occasional controlled exposure (PROC 2)

Manufacture of food products (SU 4)

Professional uses: Public domain (administration, education, entertainment, services, craftsmen) (SU 22)

Wide dispersive indoor use of processing aids in open systems (ERC8a)

Uses advised against

-

The full text of any mentioned and identified use categories are given in section 16

1.3. Details of the supplier of the safety data sheet

Company and address

NCÅ-Verodan A/S

Industriparken 5

DK-9560 Hadsund

+45 70 27 16 30

www.ncaa.dk

Contact person

E-mail

mail@ncaa.dk

SDS date

2017-01-11

SDS Version

4.0

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Skin Corr. 1A; H314

Eye Dam. 1; H318

See full text of H-phrases in section 2.2.

2.2. Label elements

Hazard pictogram(s)



Signal word

Danger

Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

Safety statement(s)

General	-
Prevention	Do not breathe mist/vapours/fume/spray. (P260). Wear eye protection/protective clothing/protective gloves. (P280).
Response	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. (P303+P361+P353). IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338).
Storage	-
Disposal	-

▼ Identity of the substances primarily responsible for the major health hazards

sodium hydroxide, Potassium hydroxide, tetrasodium ethylene diamine tetraacetate

2.3. Other hazards

-

Additional labelling

-

Additional warnings

VOC

-

SECTION 3: Composition/information on ingredients

3.1/3.2. Substances/Mixtures

NAME: sodium hydroxide
IDENTIFICATION NOS.: CAS-no: 1310-73-2 EC-no: 215-185-5 REACH-no: 01-2119457892-27 Index-no: 011-002-00-6
CONTENT: 15-25%
CLP CLASSIFICATION: Met. Corr. 1, Skin. Corr. 1A
H290, H314

NAME: Potassium hydroxide
IDENTIFICATION NOS.: CAS-no: 1310-58-3 EC-no: 215-181-3 REACH-no: 01-2119487136-33-0007 Index-no: 019-002-00-8
CONTENT: 3-5%
CLP CLASSIFICATION: Acute Tox. 4, Skin. Corr. 1A
H302, H314

NAME: sodium N-(2-carboxyethyl)-N-(2-ethylhexyl)-β-alaninate
IDENTIFICATION NOS.: CAS-no: 94441-92-6 EC-no: 305-318-6
CONTENT: 1-3%
CLP CLASSIFICATION: NA

NAME: tetrasodium ethylene diamine tetraacetate
IDENTIFICATION NOS.: CAS-no: 64-02-8 EC-no: 200-573-9 REACH-no: 01-2119486762-27 Index-no: 607-428-00-2
CONTENT: 1-3%
CLP CLASSIFICATION: Acute Tox. 4, STOT RE 2, Eye Dam. 1
H302, H318, H332, H373

(*) See full text of H-phrases in chapter 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

ATEmix(inhale, vapour) > 20
ATEmix(oral) > 2000
Eye Cat. 1 Sum = Sum(Ci/S(G)CLi) = 10,9416 - 16,4124
Skin Corr. 1A Sum = Sum(Ci/S(G)CLi) = 8,4208 - 12,6312
Detergent:
15 - 30%: SODIUM HYDROXIDE
< 5%: POTASSIUM HYDROXIDE, AMPHOTERIC SURFACTANTS, EDTA AND SALTS THEREOF, PHOSPHONATES, SODIUM GLUCONATE, NON-IONIC SURFACTANTS

SECTION 4: First aid measures

4.1. Description of first aid measures

▼ **General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. The doctor can contact The National Poisons Information Service (dial 111, 24 h service). Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

▼ **Inhalation**

Bring the person into fresh air and stay with him.

▼ **Skin contact**

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

▼ **Eye contact**

Remove contact lenses. Flush eyes with plenty of water or salt water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing.

▼ **Ingestion**

Provide plenty of water for the person to drink and stay with him/her. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the victim lean forward with head down to avoid inhalation of- or choking on vomited material.

Burns

Not applicable

▼ **4.2. Most important symptoms and effects, both acute and delayed**

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

4.3. Indication of any immediate medical attention and special treatment needed

No special

Information to medics

Bring this safety data sheet.

SECTION 5: Firefighting measures

▼ **5.1. Extinguishing media**

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Waterjets should not be used, since they can spread the fire.

▼ **5.2. Special hazards arising from the substance or mixture**

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous catabolic substances are produced. These are: Some metal oxides. Fire will result in dense black smoke. Exposure to combustion products may harm your health. Fire fighters should wear appropriate protection equipment. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

▼ **5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

SECTION 6: Accidental release measures

▼ **6.1. Personal precautions, protective equipment and emergency procedures**

Avoid direct contact with spilled substances. Avoid inhalation of vapours from spilled material.

6.2. Environmental precautions

No specific requirements.

▼ **6.3. Methods and material for containment and cleaning up**

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. To the extent possible cleaning is performed with normal cleaning agents. Avoid use of solvents.

▼ **6.4. Reference to other sections**

See section on "Disposal considerations" in regard of handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

SECTION 7: Handling and storage

▼ 7.1. Precautions for safe handling

Smoking, storage of tobacco, consumption and storage of food or liquids are not allowed in the workrooms. See section on 'Exposure controls/personal protection' for information on personal protection. Avoid direct contact with the product.

▼ 7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original container. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Storage temperature

No data available.

▼ 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

▼ OEL

Potassium hydroxide (EH40, 2005)

Long-term exposure limit (8-hour TWA reference period): - ppm | - mg/m³

Short-term exposure limit (15-minute reference period): - ppm | 2 mg/m³

sodium hydroxide (EH40, 2005)

Long-term exposure limit (8-hour TWA reference period): - ppm | - mg/m³

Short-term exposure limit (15-minute reference period): - ppm | 2 mg/m³

▼ DNEL / PNEC

No data available

8.2. Exposure controls

▼ Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations

▼ Observe general occupational hygiene standards.

Exposure scenarios

In the event exposure scenarios are appended to the safety data sheet, the operational conditions and risk management measures in these shall be complied with.

▼ Exposure limits

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

▼ Appropriate technical measures

Airborne gas and dust concentrations must be kept at a minimum and below current limit values (see above). Installation of an exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure emergency eyewash and -showers are clearly marked.

▼ Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.

▼ Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

Individual protection measures, such as personal protective equipment



Generally

Use only CE marked protective equipment.

Respiratory Equipment

No specific requirements.

▼ Skin protection

Dedicated work clothing should be worn. Wear a protective suit in the event of prolonged periods of work with the product.

Hand protection

Recommended: Neoprene. Breakthrough time: > 60 minutes (Class 3)

▼ Eye protection

Wear safety glasses with side shields.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Form	Liquid
Colour	Colourless
Odour	Characteristic
pH	14
Viscosity (40°C)	No data available.
Density (g/cm ³)	1,3

Phase changes

Melting point (°C)	No data available.
Boiling point (°C)	No data available.
Vapour pressure	No data available.

Data on fire and explosion hazards

Flashpoint (°C)	No data available.
Ignition (°C)	No data available.
Self-ignition (°C)	No data available.
Explosion limits (Vol %)	No data available.

Solubility

Solubility in water	Soluble
n-octanol/water coefficient	No data available.

9.2. Other information

Solubility in fat (g/L)	No data available.
-------------------------	--------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

▼ 10.2. Chemical stability

The product is stable under the conditions, noted in the section "Handling and storage".

10.3. Possibility of hazardous reactions

No special

▼ 10.4. Conditions to avoid

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

▼ 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

▼ Acute toxicity

Substance	Species	Test	Route of exposure	Result
tetrasodium ethylene diamine	Rat	LD50	Oral	> 2000 mg/kg
...	Rat	LC50	Inhalation	1000-5000 mg/m ³
tetrasodium ethylene diamine	Rat	LD50	Oral	>5000 mg/kg
...	Rat	LD50	Oral	365 mg/kg
sodium N-(2-carboxyethyl)-N-(2...	Rabbit	LD50	Dermal	1,350 mg/kg
...	Rat	LD50	Oral	140-340 mg/kg
Potassium hydroxide				
sodium hydroxide				
sodium hydroxide				

▼ Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/irritation

Causes serious eye damage.

Respiratory or skin sensitisation

No data available.

Germ cell mutagenicity

Data on substance: tetrasodium ethylene diamine tetraacetate

No adverse effect observed.

Data on substance: sodium N-(2-carboxyethyl)-N-(2-ethylhexyl)-β-alaninate
No adverse effect observed.

Data on substance: Potassium hydroxide
No adverse effect observed.

Data on substance: sodium hydroxide
No adverse effect observed.

Carcinogenicity

Data on substance: tetrasodium ethylene diamine tetraacetate
No adverse effect observed.

Data on substance: sodium N-(2-carboxyethyl)-N-(2-ethylhexyl)-β-alaninate
No adverse effect observed.

Data on substance: Potassium hydroxide
No adverse effect observed.

Data on substance: sodium hydroxide
No adverse effect observed.

Reproductive toxicity

Data on substance: tetrasodium ethylene diamine tetraacetate
No adverse effect observed.

Data on substance: sodium N-(2-carboxyethyl)-N-(2-ethylhexyl)-β-alaninate
No adverse effect observed.

Data on substance: Potassium hydroxide
No adverse effect observed.

Data on substance: sodium hydroxide
No adverse effect observed.

STOT-single exposure

No data available.

STOT-repeated exposure

No data available.

Aspiration hazard

No data available.

▼ Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, -irritations and burns in the respiratory organs -as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

Irritation effects: This product contains substances, which may cause irritation upon exposure to skin, eyes or lungs. Exposure may result in an increased absorption potential of other hazardous substances at the area of exposure.

SECTION 12: Ecological information

12.1. Toxicity

Substance	Species	Test	Duration	Result
tetrasodium ethylene diamine				
...				
tetrasodium ethylene diamine	Fish	LC50	96 h	> 100 mg/l
...	Crustacean	EC50	48 h	> 100 mg/l
tetrasodium ethylene diamine	Algae	EC50	72 h	> 100 mg/l
...	Fish	LC50		> 100 mg/l
sodium N-(2-carboxyethyl)-N-(2-ethylhexyl)-β-alaninate	Daphnia	EC50		> 100 mg/l
...	Fish	LC50	48 h	125 mg/l
sodium N-(2-carboxyethyl)-N-(2-ethylhexyl)-β-alaninate	Daphnia	EC50	96 h	40-240 mg/l
...	Fish	LC50	96 h	35 - 189 mg/l
Potassium hydroxide	Crustacean	EC50	48 h	40,4 mg/l
Potassium hydroxide				
sodium hydroxide				
sodium hydroxide				

▼ **12.2. Persistence and degradability**

Substance	Biodegradability	Test	Result
sodium N-(2-carboxyethyl)-N-(2...	Yes	No data available	No data available

▼ **12.3. Bioaccumulative potential**

Substance	Potential bioaccumulation	LogPow	BCF
tetrasodium ethylene diamine	No	-13	No data available
...	No	No data available	No data available
sodium N-(2-carboxyethyl)-N-(2...	No	-3,88	No data available
Potassium hydroxide	No	-3,88	0
sodium hydroxide			

▼ **12.4. Mobility in soil**

tetrasodium ethylene diamine ...: Log Koc= -10,2163, Calculated from LogPow ().
 Potassium hydroxide: Log Koc= -2,994172, Calculated from LogPow ().
 sodium hydroxide: Log Koc= -2,994172, Calculated from LogPow ().

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No special

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste.

Waste

EWC code
 20 01 15 alkalines

Specific labelling

-

▼ **Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

14.1 – 14.4

This product is within scope of the regulations of transport of dangerous goods.

▼ **ADR/RID**

14.1. UN number 3266
 14.2. UN proper shipping name CAUSTIC ALKALI LIQUID, N.O.S.
 14.3. Transport hazard class(es) 8
 14.4. Packing group II
 Notes -
 Tunnel restriction code E

▼ **IMDG**

UN-no. 3266
 Proper Shipping Name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(SODIUM HYDROXIDE SOLUTION)
 Class 8
 PG* II
 EmS F-A, S-B
 MP** No
 Hazardous constituent -

IATA/ICAO

UN-no. 3266
 Proper Shipping Name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.(SODIUM HYDROXIDE SOLUTION)
 Class 8
 PG* II

14.5. Environmental hazards

-

14.6. Special precautions for user

-

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

No data available

(*) Packing group

(**) Marine pollutant

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

▼ Restrictions for application

People under the age of 18 shall not be exposed to this product cf. Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.

Demands for specific education

-

Additional information

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources

Council Directive 94/33/EC of 22 June 1994 on the protection of young people at work.
The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677. The Stationery Office, 2002.
Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.
REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 (CLP).
EC regulation 1907/2006 (REACH).

15.2. Chemical safety assessment

No

SECTION 16: Other information

▼ Full text of H-phrases as mentioned in section 3

H290 - May be corrosive to metals.
H302 - Harmful if swallowed.
H314 - Causes severe skin burns and eye damage.
H318 - Causes serious eye damage.
H332 - Harmful if inhaled.
H373 - May cause damage to organs through prolonged or repeated exposure^a.

The full text of identified uses as mentioned in section 1

PC35 = Washing and Cleaning Products (including solvent based products)
PROC 2 = Use in closed, continuous process with occasional controlled exposure
SU 4 = Manufacture of food products
SU 22 = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
ERC8a = Wide dispersive indoor use of processing aids in open systems

Other symbols mentioned in section 2

-

Other

In accordance with Regulation (EC) No. 1272/2008 (CLP) the evaluation of the classification of the mixture is based on:

The classification of the mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

According to EC-Regulation 2015/830

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The safety data sheet is validated by

AJA

Date of last essential change

(First cipher in SDS version)

2016-07-12

Date of last minor change

(Last cipher in SDS version)

2016-07-12

ALPHAOMEGA. Licens nr.:3403098734, 6.2.0
www.chymeia.com