

#### SAFETY DATA SHEET

# **Grov Vaskepulver**

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

## Trade name

**Grov Vaskepulver** 

Unique formula identifier (UFI)

E200-U0CW-500F-QF8H

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture

PC35 Washing and cleaning products

Restricted to professional users.

#### Product code (A.I.S.E.)

AISE-P103 / Laundry detergent. Manual process.

AISE-P102 / Laundry detergent. Semi automatic process.

#### Use descriptors (REACH)

Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
<b>Product category</b>	Description
PC 35	Washing and Cleaning Products (including solvent based products)
Process category	Description
PROC 2	Use in closed, continuous process with occasional controlled exposure
Environmental release category	Description
ERC9a	Wide dispersive indoor use of processing aids in close systems

### Uses advised against

None known.

### 1.3. Details of the supplier of the safety data sheet

## Company and address

#### NCÅ-Verodan A/S

Industriparken 5 DK-9560 Hadsund

Denmark

Tel.: +45 7027 1630

www.ncaa.dk

#### E-mail

mail@ncaa.dk

#### Revision

19/06/2024

#### **SDS Version**

3.0

### Date of previous version

13/03/2024 (3.0)

## 1.4. Emergency telephone number

Contact the poison hotline: +45 82 12 12 12 (24 hour service)

See section 4 "First aid measures".

#### SECTION 2: Hazards identification

Classified according to Regulation (EC) No. 1272/2008 (CLP).



#### 2.1. Classification of the substance or mixture

Skin Corr. 1B; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage. STOT SE 3; H335, May cause respiratory irritation.

#### 2.2. Label elements

### Hazard pictogram(s)



# Signal word

Danger

### Hazard statement(s)

Causes severe skin burns and eye damage. (H314)

May cause respiratory irritation. (H335)

### Precautionary statement(s)

General

\_

#### Prevention

Do not breathe dust. (P260)

Wear face protection/protective gloves/protective clothing. (P280)

#### Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)

#### Storage

Store in a well-ventilated place. Keep container tightly closed. (P403+P233)

### Disposal

Dispose of contents/container in accordance with local regulation (P501)

### Hazardous substances

Sodium metasilicate pentahydrate

Silicid acid, sodium salt

Sulfuric acid, mono-C12-18-alkyl esters, sodium salts

### Additional labelling

UFI: E200-U0CW-500F-QF8H

#### Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

- · Anionic surfactants
- · Non-ionic surfactants
- · Polycarboxylates

### 2.3. Other hazards

## Additional warnings

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

Not applicable. This product is a mixture.

## 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Sodium metasilicate pentahydrate	CAS No.: 10213-79-3 EC No.: 600-279-4 REACH: 01-2119449811-39-xxxx Index No.:	40-60%	Met. Corr. 1, H290 Skin Corr. 1B, H314 STOT SE 3, H335	
natriumcarbonat	CAS No.: 497-19-8 EC No.: 207-838-8 REACH: 01-2119485498-19-0028	15-25%	Eye Irrit. 2, H319	



	Index No.: 011-005-00-2		
Silicid acid, sodium salt	CAS No.: 1344-09-8 EC No.: 215-687-4 REACH: 01-2119448725-31-0011 Index No.:	3-5%	Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 10.00 %) STOT SE 3, H335
Alcohols, C13-15-branched and linear, butoxylated, ethoxylated	CAS No.: 111905-53-4 EC No.: 601-137-4 REACH: 02-2119552554-37-0000 Index No.:	3-5%	Acute Tox. 4, H302 Eye Irrit. 2, H319 Aquatic Chronic 3, H412
Sulfuric acid, mono-C12-18- alkyl esters, sodium salts	CAS No.: 68955-19-1 EC No.: 273-257-1 REACH: 01-2119490225-39-0000 Index No.:	1-3%	Skin Irrit. 2, H315 Eye Dam. 1, H318 (SCL: 20.00 %)

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

Julier Informati

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

### Skin contact

Flush exposed area with water for a long time - at least 30 minutes. It may be necessary to flush for several hours. Use a comfortable water temperature (20-30 °C). Contact Poison Information/doctor/hospital for further advice on follow-up and treatment.

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

### Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) for at least 30 minutes and continue until irritation stops. Remove contact lenses. Make sure you flush under the upper and lower eyelids. Seek medical assistance immediately and continue flushing during transport.

### Ingestion

In the case of ingestion, contact a doctor immediately. If the person is conscious, give them water. DO NOT try to induce vomiting unless this is recommended by a doctor. Hold head facing down to prevent vomit from returning to the mouth and throat. Prevent shock by keeping the injured person warm and calm. Initiate immediate resuscitation if breathing stops. If unconscious, roll the injured person into recovery position. Call an ambulance.

#### Burns

Not applicable.

#### 4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

High amounts of dust can cause coughing and general irritation of the respiratory airways.

## 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

## Information to medics

Bring this safety data sheet or the label from this product.



## **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Sulphur oxides

Carbon oxides (CO / CO2)

Some metal oxides

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact the chemical emergency services on 72 85 20 00 (24 h service) in order to obtain further advice.

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

#### 6.3. Methods and material for containment and cleaning up

Limit spillage and collect using granular absorbent or similar materials, and dispose of it in accordance with the regulations on dangerous waste.

Collect spills carefully. Moist the material with water in order to prevent the formation and propagation of dust. Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: Handling and storage

## 7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Powder trickling out onto the floor or onto other containers must be prevented.

### Recommended storage material

Keep only in original packaging.

### Storage conditions

Dry, cool and well ventilated

### Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

## 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

### SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.



#### **DNEL**

Sodium metasilicate pentahydrate

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	0,74 mg/kg
Long term – Systemic effects - Workers	Dermal	1,49 mg/kg
Long term – Systemic effects - General population	Inhalation	1,55 mg/m3
Long term – Systemic effects - Workers	Inhalation	6,22 mg/m3
Long term – Systemic effects - General population	Oral	0,74 mg/kg

#### **PNEC**

Sodium metasilicate pentahydrate

Route of exposure:	Duration of Exposure:	PNEC:
Marine water	Continuous	1 mg/l
Sewage treatment plant	Continuous	1000 mg/l
Water	Continuous	7,5 mg/l
Water	Single	7,5 mg/l

#### 8.2. Exposure controls

Apply general control to prevent unnecessary exposure

#### General recommendations

Smoking, drinking and consumption of food is not allowed in the work area.

#### Exposure scenarios

There are no exposure scenarios implemented for this product.

#### **Exposure limits**

Occupational exposure limits have not been defined for the substances in this product.

## Appropriate technical measures

Apply standard precautions during use of the product. Avoid inhalation of gas or dust.

Ensure that eyewash stations and safety showers are located within easy reach.

Airborne gas and dust concentrations must be kept at a minimum. Provide efficient mechanical ventilation. If not possible use suitable respiratory equipment.

## Hygiene measures

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

## Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible, collect spillage during work.

## Individual protection measures, such as personal protective equipment

## Generally

Use only CE marked protective equipment.

### Respiratory Equipment

Work situation	Туре	Class	Colour	Standards	
When there is risk of dust formation	S/SL	P2	White	EN149	



## Skin protection

Recommended	Type/Category	Standards
No special when used as intended.	-	-

## Ha

and protection  Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Nitrile	0,38	> 240	EN374-2, EN374-3, EN388	



Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Neoprene (Neoprene)	0.38	> 60	EN374-2, EN374-3, EN388	
Butyl	0.3	> 60	EN374-2, EN374-3, EN388	

### Eye protection

Туре	Standards	
Face shield alternatively safety glasses with side shields.	EN166	
In the likelihood of direct or incidental exposure, use face protection.	EN166	

#### SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical state

Powder

Colour

White

Odour / Odour threshold

None

рΗ

12,3

pH in solution

10,5 (1%)

Density (g/cm³)

0.9

Kinematic viscosity

Does not apply to solids.

Particle characteristics

Testing not relevant or not possible due to the nature of the product.

## Phase changes

Melting point/Freezing point (°C)

Testing not relevant or not possible due to the nature of the product.

Softening point/range (°C)

Does not apply to solids.

▼ Boiling point (°C)

Does not apply to solids.

Vapour pressure

Testing not relevant or not possible due to the nature of the product.

▼ Relative vapour density

Does not apply to solids.

Decomposition temperature (°C)

Testing not relevant or not possible due to the nature of the product.

Data on fire and explosion hazards

Flash point (°C)

Does not apply to solids.

Flammability (°C)

Testing not relevant or not possible due to the nature of the product.

Auto-ignition temperature (°C)



Testing not relevant or not possible due to the nature of the product.

Lower and upper explosion limit (% v/v)

Does not apply to solids.

#### Solubility

#### Solubility in water

Completely soluble

#### n-octanol/water coefficient (LogKow)

Testing not relevant or not possible due to the nature of the product.

#### Solubility in fat (q/L)

Testing not relevant or not possible due to the nature of the product.

#### 9.2. Other information

### Other physical and chemical parameters

No data available.

#### Oxidizing properties

Testing not relevant or not possible due to the nature of the product.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

No data available.

#### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### 10.3. Possibility of hazardous reactions

None known.

## 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

## 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Product/substance Sodium metasilicate pentahydrate

Species: Rat Route of exposure: Oral Test: LD50

Result: 1152-1349 mg/kg ·

Product/substance Sodium metasilicate pentahydrate

Species: Rat Inhalation Route of exposure: LC50 Test: >2,06 g/m3 · Result:

Product/substance Sodium metasilicate pentahydrate

Species: Route of exposure: Dermal LD50 Test:

Result: >5000 mg/kg ·

Product/substance Silicid acid, sodium salt

Species: Rat Route of exposure: Dermal Test: LD50

Result: > 5000 mg/kg ·

Product/substance Silicid acid, sodium salt

Species: Rat



Route of exposure: Inhalation Test: LD50

Result: 1152 - 1349 mg/ kg ·

Product/substance Alcohols, C13-15-branched and linear, butoxylated, ethoxylated

Species: Rat Route of exposure: Oral Test: LD50

Result: 2000-5000 mg/kg ·

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

### Serious eye damage/irritation

Causes serious eye damage.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

### Reproductive toxicity

Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause respiratory irritation.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

## Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

#### Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

#### Other information

None known.

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Product/substance Sodium metasilicate pentahydrate

Species: Fish
Duration: 96 hours
Test: LC50
Result: 210 mg/l·

Product/substance Sodium metasilicate pentahydrate

Species: Daphnia
Duration: 48 hours
Test: EC50
Result: 1700 mg/l⋅

Product/substance Silicid acid, sodium salt

Species: Fish
Duration: 96 hours
Test: LC50
Result: 3185 mg/l·

Product/substance Silicid acid, sodium salt



Species: Daphnia
Duration: 48 hours
Test: EC50
Result: 4857 mgI ·

Product/substance Silicid acid, sodium salt

Species: Algae
Duration: 48 hours
Test: EC0

Result: >1000 mg/l·

Product/substance Alcohols, C13-15-branched and linear, butoxylated, ethoxylated

Species: Fish
Duration: 96 hours
Test: LC50
Result: 1-10 mg/l·

Product/substance Alcohols, C13-15-branched and linear, butoxylated, ethoxylated

Species: Crustacean
Duration: 48 hours
Test: EC50
Result: 1-10 mg/l·

Product/substance Alcohols, C13-15-branched and linear, butoxylated, ethoxylated

Species: Algae
Duration: 96 hours
Test: EC50
Result: 1-10 mg/l·

Product/substance Alcohols, C13-15-branched and linear, butoxylated, ethoxylated

Species: Algae

Duration: No data available.

Test: NOEC Result: 0,1-1 mg/l  $\cdot$ 

12.2. Persistence and degradability

Product/substance Sodium metasilicate pentahydrate

Conclusion: Readily biodegradable

Product/substance Silicid acid, sodium salt Conclusion: Readily biodegradable

Product/substance Alcohols, C13-15-branched and linear, butoxylated, ethoxylated

Result: >60%

Conclusion: Readily biodegradable

Test: OECD 301 B

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 12.3. Bioaccumulative potential

Product/substance Sodium metasilicate pentahydrate Conclusion: No potential for bioaccumulation

Product/substance Silicid acid, sodium salt

Conclusion: No potential for bioaccumulation

Product/substance Alcohols, C13-15-branched and linear, butoxylated, ethoxylated

Conclusion: No potential for bioaccumulation

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.



### 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

### 12.7. Other adverse effects

None known.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product is covered by the regulations on hazardous waste. (\*)

HP 5 - Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

HP 8 - Corrosive

Dispose of contents/container to an approved waste disposal plant.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

EWC code

Waste group H: Waste with low energy content

20 01 29\* Detergents containing dangerous substances

Specific labelling

Not applicable.

### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## **SECTION 14: Transport information**

	14.1 14.2 UN / ID UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN3253 DISODIUM TRIOXOSILICATE	Transport hazard class: 8 Label: 8 Classification code: C6	III	No	Limited quantities: 5 kg Tunnel restriction code: (E) See below for additional information.
IMDG	UN3253 DISODIUM TRIOXOSILICATE	Transport hazard class: 8 Label: 8 Classification code: C6	III	No	Limited quantities: 5 kg EmS: F-A S-B See below for additional information.
IATA	UN3253 DISODIUM TRIOXOSILICATE	Transport hazard class: 8 Label: 8 Classification code: C6	III	No	See below for additional information.

<sup>\*</sup> Packing group

### Additional information

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

<sup>\*\*</sup> Environmental hazards



IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

### 14.6. Special precautions for user

Not applicable.

## 14.7. Maritime transport in bulk according to IMO instruments

No data available.

### **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Restrictions for application

Restricted to professional users.

People under the age of 18 shall not be exposed to this product.

#### Demands for specific education

No specific requirements.

### SEVESO - Categories / dangerous substances

Not applicable.

## Labelling of contents according to Detergents Regulation (EC) No 648/2004

< 5%

- · Anionic surfactants
- · Non-ionic surfactants
- · Polycarboxylates

### Additional information

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### Sources

The Danish Working Environment Authority's executive order no. 1049 of 30 May 2021 on young people's work. Based on Council Directive 94/33 / EC of 22 June 1994 on the protection of young people at work.

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents.

Commission Regulation (EU) No 1357/2014 of 18 December 2014 on waste.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (CLP).

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

## 15.2. Chemical safety assessment

No

#### SECTION 16: Other information

### Full text of H-phrases as mentioned in section 3

H290, May be corrosive to metals.

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

H412, Harmful to aquatic life with long lasting effects.

#### The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

PROC 2 = Use in closed, continuous process with occasional controlled exposure

PC 35 = Washing and Cleaning Products (including solvent based products)

ERC9a = Wide dispersive indoor use of processing aids in close systems

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor



CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

**UN = United Nations** 

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

## Additional information

The classification of the mixture in regard of health hazards is in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP).

#### ▼ The safety data sheet is validated by

LEJ

#### **▼** Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: DK-en